THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general j. V. O'Loghlin, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of August, 1893-98.

Years	1893.	1894.	1895.	1896.	1897.	Average of Five					1	898.						Total
*Population, Aug. 1st	336,155	343,824	348,126	351,892	352,102	Years.	357,220							for 1898.				
Births	988	924	934	790	845	896	855								6,182			
Rate per cent	·294	.269	.268	.225	•240	_					•2	39				-		
Deaths—				81 0	81	87	All Ages.	Under 1 year.	l and under 5.	6 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners'	‡Uncerti- fied causes of Death.	
All causes	380	333	274	333	306	325	317	50	27	29	51	61	65	34	_	37	5	3,055
Rate per cent	•113	•097	.079	•095	.087	-	.089	_	_		_	_	_	_	_	_	_	
Diseases— I. Specific Febrile or Zymotic II. Parasitic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified	80 1 1 62 35 169 19	22 - 2 60 46 173 15	14 2 3 50 41 142 8	20 1 4 56 42 172 16	17 1 64 38 153 18		31 1 58 45 146 18	7 — 1 7 21	9 - 3 - 11 1	6 - 5 1 13 4	5 23 20 3	$\frac{2}{15}$ $\frac{36}{7}$	2 1 9 15 35 35 3					
causes	13	15	14	22	15	_	18	14	3	_		1	_	-	_	_	-	

^{*} The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of August, 1898.

		Cause	es of Deaths registered in the Mo	nth of.	August, 18	98.		
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
1.						Diseases of locomotive sys-	-	
Measles	-	3	V.			tem		1
Scarlet fever	_	1	Premature birth	6	_	Diseases of integumentary		
Relapsing fever	_	_	Cyanosis			system	1	1
Influenza		3	Congenital defects,	1	1	VII.		
Whooping-cough	4	2	Old age	-	37	(Accident.)		,
Diphtheria	-	6	VI.			Fracture and contusion		9
Simple and ill-defined fever	_	1	Apoplexy		12	Gunshot wound		
Enteric fever	_	4	Epilepsy	_	1	Cut, stab		
Simple cholera	_		Convulsions	5		Burn and scald	_	2
Diarrhœa, dysentery	2	_	Other diseases of brain and			Poison		-
Remittent fever	_	_	nervous system	2	17	Drowning	_	1
Venereal affections	_		Diseases of organs of special			Suffocation		
Erysipelas	1	_	sense		-	Otherwise	-	1
Pyæmia and septicæmia	_		Diseases of circulatory sys-			(Homicide.)		
Puerperal fever	_	3	tem	_	31	Murder and manslaughter	-	1
Other zymotic diseases	_	1	Croup	_	1	(Suicide.)		
II.			Bronchitis	2	6	Gunshot wound		
Thrush	_	_	Pneumonia	6	16	Cut, stab	_	1
Worms and other parasitical			Pleurisy	_	1	Poison	_	1
diseases		1	Other diseases of respiratory			Drowning	_	
III.			system	_	4	Hanging	_	2
Privation—want of breast milk	_		Dentition	2		Otherwise		-
Alcoholism	-		Quinsy, sore throat	_	1	(Execution.)		
IV.			Enteritis		1	Hanging	-	
Rheumatic fever and rheuma-			Peritonitis		1	VIII.		
tism of heart	-	2	Diseases of liver	2	5	Dropsy		1
Rheumatism			Other diseases of digestive			Debility, atrophy, inanition	14	3
Gout	_		system	1	4	Mortification		
Cancer, malignant disease	_	15	Diseases of lymphatic sys-			Tumor		-
Tabes mesenterica		-	tem and of ductless glands	-	1	Abscess	_	
Tubercular meningitis	1	3	Diseases of urinary system	_	13	Hæmorrhage		
Phthieis	_	32	Diseases of generative sys-			Sudden, cause unascertained	_	
Scrofula, tuberculosis	_	3	tem		4	Other ill-defined and not		
Other constitutional diseases		2	Accidents of childbirth		4	specified causes		
other constitutional diseases	-	4	Accidents of children					

Return of Births and Deaths registered in the City of Adelaide in the Month of August, 1893-98.

Years	1893.	1894.	1895.	1896.	1897.	Average of Five Years.					18	898.						Total
Population, Jan. 1st	39,073	39,749	40,167	40,406	40,384	Tears.					40	,475						1898
Births	106	92	105	81	105	98					1	15						694
Rate per cent	-271	•231	•262	•200	•260					7	•2	84				1		
		6.000				1000	All Ages.	Under l year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied sauses of death.	
Deaths All causes	94	54	69	71	73	72	80	15	5	11	10	13	20	6		8		664
All causes																		
Rate per cent	.241	136	.172	:176	.181		•198									_		
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 11. Dietic 12. Constitutional 23. V. Developmental 24. Violence 24. Ill-defined and not specified	31 — — 11 3 44 3	4 — 15 6 23 2	2 2 2 12 11 38 2	2 1 2 14 10 34 4	$ \begin{array}{c} 2 \\ 1 \\ \hline 20 \\ 12 \\ 31 \\ 4 \end{array} $		5 ————————————————————————————————————	1 - 1 6 -	1	1 - 3 1 5 1	1 - 4 - 2 3		1 - 3 7 9	3 3				

^{*} Including inquests.

Causes of Deaths registered in the Month of August, 1898.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.						Accidents of childbirth		1
Measles		2	Scrofula, tuberculosis	-	2	Diseases of locomotive system Diseases of integumentary		-
Scarlet fever	_		Other constitutional diseases			system		1
Relapsing fever		1	V.			System		
Whooping-cough	1		Premature birth	1		VII. (Accident.)		
Diphtheria			Cyanosis	_	_	Fracture and contusion	-	3
Simple and ill-defined fever			Congenital defects	-	1	Gunshot wound	-	_
Enteric fever	_	1	Old age		10	Cut, stab		_
Simple cholera						Burn and seald		1
Diarrhœa, dysentery			VI.		1	Poison		-
Remittent fever			Apoplexy		1	Drowning		
Venereal affections			Epilepsy	2		Otherwise		1
Erysipelas			Other diseases of brain and	2	and the same	(Homicide.)		1
Pyæmia and septicæmia			nervous system	1	7	Murder and manslaughter		1
Puerperal fever Other zymotic diseases			Diseases of organs of special			(Suicide.)		
Other Zymotic diseases			sense	_	-	Gunshot wound		-
II.			Diseases of circulatory system	-	3	Cut, stab	-	
Thrush	_		Croup		_	Poison		1
Worms and other parasitical			Bronchitis	1	1	Drowning	-	-
diseases			Pneumonia		2	Hanging		-
III.			Other diseases of respiratory	_		Otherwise (Execution)		
Privation-want of breast milk		_	system		1	Hanging	-	
Alcoholism	-		Dentition	1				
,			Quinsy, sore throat			VIII.		
IV.			Enteritis	_	_	Dropsy		1
Rheumatic fever and rheuma-			Peritonitis		2	Debility, atrophy, inanition	7	1
tism of heart	-	_	Diseases of liver		2	Mortification	_	_
Rheumatism	-		Other diseases of digestive	1		Abscess		
Gout	_	3	system Diseases of lymphatic sys-	1		Hæmorrhage	_	_
Cancer, malignant disease Tabes mesenterica			tem and of ductless glands			Sudden, cause unascertained		
Tubercular meningitis			Diseases of urinary system	_	7	Other ill-defined and not		
Phthisis		9	Diseases of generative system		i	specified causes	M	_

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of August, 1898.

						1	
	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
	TP St. Line						_
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	40,475	6,233	7,080	8,632	9,949	3,651	4,930
Persons to an acre	11.1	10.9	10.7	15.6	13.9	7.6	7.6
Births Male Female	115 63 52	20 13 7	13 6 7	29 16 13	33 19 14	10 5 5	10 4 6
Deaths	69 37 32	19 11 8	11 6 5	13 8 5	14 8 6	8 3 5	4 1 3
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	11 10 30 5 9	3 7 8	4 4 2 1	3 2 4 2 2	3 - - 7 - 4	1 1 1 4 1	 3 -1
Percentage of Deaths to population of each Ward	.170	.305	`155	.151	`141	·219	.081

Causes of Deaths registered in the Month of August, 1898.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Yea and Above.
I.	-		Phthisis		7	Accidents of childbirth		1
Measles	_	2	Scrofula, tuberculosis	_	1	Diseases of locomotive system		
Scarlet fever	-		Other constitutional diseases.		_	Diseases of integumentary		
Relapsing fever	-					system	-	1
nfluenza	_	1	V.			VII.		
Whooping-cough	1		Premature birth	1.	_	(Accident.)		1
Diphtheria	_	_	Cyanosis	_		Fracture and contusion		0
imple and ill-defined fever		_	Congenital defects		_	Gunshot wound	-	2
Interic fever	-		Old age	_	9			
Simple cholera	-					Cut, stab	_	1
Diarrhœa, dysentery	_		VI.			Burn and scald		1
Remittent fever			Apoplexy	_	1	Poison		
Venereal affections	_		Epilepsy			Drowning		_
Erysipelas	_		Convulsions	2		Suffocation		
yæmia and septicæmia	_		Other diseases of brain and			Otherwise		1
uerperal fever	_		nervous system	1	6	(Homicide.)		
ther zymotic diseases	-		Diseases of organs of special			Murder and manslaughter		-
ther 2 y motic diseases			sense			(Execution)		
II.			Diseases of circulatory system		3	Hanging		
hrush	·		Croup			(Suicide.)		
Vorms and other parasitical			Bronchitis	1	1	Gunshot wound		-
diseases			Pneumonia	_	2	Cut, stab		_
diseases			Pleurisy			Poison		1
III.			Other diseases of respiratory			Drowning	-	_
rivation — Want of breast	1		system		1	Hanging	-	
			Dentition	1		Otherwise		-
milk	_		Onings core threat	1		VIII.		
lcoholism	_		Quinsy, sore throat Enteritis			Dropsy		1 1
137			Davidanitia			Debility, atrophy, inanition	7	1
IV.			Peritonitis	_	2	Mortification		1
theumatic fever and rheu-			Diseases of liver		- 4	Tumor	meret.	
matism of heart	-	_	Other diseases of digestive	1		Abgoog		
heumatism	_	_	system	1		Abscess		
fout	_	_	Diseases of lymphatic system			Hæmorrhage		
ancer, malignant disease	-	3	and of ductless glands	_		Sudden, cause unascertained.	-	
abes mesenterica	-		Diseases of urinary system	-	5	Other ill-defined and not spe-		
Subercular meningitis	-	-	Diseases of generative system		1	cified causes	-	-

AUGUST, 1898.

The highest temperature in the shade at the Adelaide Observatory during the month was 74°.4 on the 26th; and the lowest, 36°.4, on the 17th. The mean temperature of the month was 55°.2.

The greatest range of the thermometer in one day, 28°.8, took place on the 20th, viz., from a maximum of 66°.9 to a minimum of 38°.1; the lowest range, 7°.2, on the 4th.

The mean height of the barometer was 30.050 inches; the maximum, 30.481 inches, occurred on the 18th; and the minimum, 29.370 inches on the 4th.

on the 4th.

Observatory, Adelaide, September 5th, 1898.

C. Todd, Observer.